Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Algorithms

Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. —Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).

Aquifers

Unsteady Stream Depletion when Pumping from Semiconfined Aquifer. —Bruce Hunt; 8(1), 12-9 (2003).

Estimation of Aquifer Diffusivity from Stream Stage Variation. —Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).

Field-Data Analysis for Stream Depletion. —Bruce Hunt; 8(4), 222-5 (2003).

Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. —Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Aquifer Response to Linearly Varying Stream Stage. — Rajesh Srivastava; 8(6), 361-4 (2003).

Arid lands

Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. —Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).

Basins

Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Best management practice

Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Boundary conditions

Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).

Caribbean

Estimation of Sustainable Yield of Some Rivers in Trinidad. —Gyan S. Shrivastava; 8(1), 35-40 (2003).

Catchments

Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. — Stephen M. Thompson; 8(4), 190-6 (2003).

Chile

Numerical Modeling of Saline Intrusion in Salar de Atacama. — Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Climatic changes

Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).

Data analysis

Field-Data Analysis for Stream Depletion. — Bruce Hunt; 8(4), 222-5 (2003).

Data collection

Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Decomposition

Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).

Improved Decomposition Solution to Green and Ampt Equation. —Sergio E. Serrano; 8(3), 158-60 (2003).

Dendrochronology

Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. —Javier González and Juan B. Valdés; 8(5), 247-58 (2003).

Design

Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Differential equations

Unsteady Stream Depletion when Pumping from Semiconfined Aquifer. —Bruce Hunt; 8(1), 12-9 (2003).

Diffusion

Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Diffusivity

Estimation of Aquifer Diffusivity from Stream Stage Variation. —Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).

Aquifer Response to Linearly Varying Stream Stage. — Rajesh Srivastava; 8(6), 361-4 (2003).

Distribution

Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).

Ditches

Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Droughts

Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. — Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).

Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. — Javier González and Juan B. Valdés; 8(5), 247-58 (2003).

Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. — Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).

Emergency services

Radar-Based Flood Warning System Applied to Tropical Storm Allison. — Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Entropy

Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).

Equation of motion

Nonlinear Hydrologic Processes: Conservation Equations for Determining Their Means and Probability Distributions. —M. Levent Kavvas; 8(2), 44-53 (2003).

Estimation

Estimating Basin Evapotranspiration Using Distributed Hydrologic Model. —Z. X. Xu and J. Y. Li; 8(2), 74-80 (2003).

Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).

Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. —Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).

Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Evapotranspiration

Estimating Basin Evapotranspiration Using Distributed Hydrologic Model. —Z. X. Xu and J. Y. Li; 8(2), 74-80 (2003).

Finite difference

Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Flood forecasting

Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Radar-Based Flood Warning System Applied to Tropical Storm Allison. —Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Flood frequency
Joint Seasonal /Annual Flood Frequency Analysis. — S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Flood hydrology
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. — Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Flood plains
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. — Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Flood routing
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Florida
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. — Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Flow measurement
Field-Data Analysis for Stream Depletion. —Bruce Hunt; 8(4), 222-5 (2003).

Forecasting
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. —Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. —Jozsef Szilagyi; 8(6), 339-47 (2003).

Fourier series
Estimation of Aquifer Diffusivity from Stream Stage Variation. —Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).

Free surfaces
Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).

Frequency
Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. —Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Frequency analysis
Joint Seasonal /Annual Flood Frequency Analysis. —S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).
Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. —Javier González and Juan B. Valdés; 8(5), 247-58 (2003).

Froude number
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Gaging stations
Radial Basis Function Neural Network for Modeling Rating Curves. — K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).
Simple, Practical Method for Determining Station Weights Using Thiessen Polygons and Isohyetal Maps. — Fritz R. Fiedler; 8(4), 219-21 (2003).

Gamma function
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).

Greece
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. — Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Ground water
Numerical Modeling of Saline Intrusion in Salar de Atacama. — Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).
Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. —Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Ground-water depletion
Unsteady Stream Depletion when Pumping from Semiconfined Aquifer. —Bruce Hunt; 8(1), 12-9 (2003).

Ground-water flow
Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).

Ground-water management
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. —Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Ground-water pollution
Chloride Ion in Groundwater near Disposal of Solid Wastes in Landfills. —Kazumasa Mizumura; 8(4), 204-13 (2003).

Hydraulic roughness
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. —Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Hydraulic structures
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Hydrographs
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. —Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Hydrologic aspects
Nonlinear Hydrologic Processes: Conservation Equations for Determining Their Means and Probability Distributions. — M. Levent Kavvas; 8(2), 44-53 (2003).

Hydrologic data
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. — Jozsef Szilagyi; 8(6), 339-47 (2003).

Hydrologic models
Estimating Basin Evapotranspiration Using Distributed Hydrologic Model. — Z. X. Xu and J. Y. Li; 8(2), 74-80 (2003).
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. —Jozsef Szilagyi; 8(6), 339-47 (2003).

Hydrology
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Infiltration
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).
Improved Decomposition Solution to Green and Ampt Equation. —Sergio E. Serrano; 8(3), 158-60 (2003).
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. —M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Instream flow
Estimation of Sustainable Yield of Some Rivers in Trinidad. —Gyan S. Shrivastava; 8(1), 35-40 (2003).

Kansas
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. —C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Kinematic wave theory
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Lakes
Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. —Stephen M. Thompson; 8(4), 190-6 (2003).

Landfills
Chloride Ion in Groundwater near Disposal of Solid Wastes in Landfills. —Kazumasa Mizumura; 8(4), 204-13 (2003).

Low flow
Estimation of Sustainable Yield of Some Rivers in Trinidad. —Gyan S. Shrivastava; 8(1), 35-40 (2003).

Measurement
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. — Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. — Jozsef Szilagyi; 8(6), 339-47 (2003).

Meteorology
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).

Methodology
Improved Decomposition Solution to Green and Ampt Equation. — Sergio E. Serrano; 8(3), 158-60 (2003).
Simple, Practical Method for Determining Station Weights Using Thiessen Polygons and Isohyetal Maps. — Fritz R. Fiedler; 8(4), 219-21 (2003).

Mexico
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. —Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).

Mississippi
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).

Model studies
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).

Models
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).
Radial Basis Function Neural Network for Modeling Rating Curves. —K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. —Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).

Monte Carlo method
Probabilistic Solution to Stochastic Overland Flow Equation. —Jaeyoung Yoon and M. Levent Kavvas; 8(2), 54-63 (2003).

Neural networks
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. —Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).
Radial Basis Function Neural Network for Modeling Rating Curves. —K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. —Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. —Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

New York
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

New York City
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

New Zealand
Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. — Stephen M. Thompson; 8(4), 190-6 (2003).

Nonlinear programming
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. — Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).

Numerical models
Numerical Modeling of Saline Intrusion in Salar de Atacama. —Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. —Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Overland flow
Probabilistic Solution to Stochastic Overland Flow Equation. —Jaeyoung Yoon and M. Levent Kavvas; 8(2), 54-63 (2003).
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Parameters
Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. —Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. —P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).
Aquifer Response to Linearly Varying Stream Stage. — Rajesh Srivastava; 8(6), 361-4 (2003).

Peak flood
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Peak flow
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Pore water pressure
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Precipitation
Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. — Stephen M. Thompson; 8(4), 190-6 (2003).
Simple, Practical Method for Determining Station Weights Using Thiessen Polygons and Isohyetal Maps. — Fritz R. Fiedler; 8(4), 219-21 (2003).

Predictions
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. — Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Probability
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Joint Seasonal /Annual Flood Frequency Analysis. — S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Probability distribution
Nonlinear Hydrologic Processes: Conservation Equations for Determining Their Means and Probability Distributions. —M. Levent Kavvas; 8(2), 44-53 (2003).

Probability distribution functions
Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. —Javier González and Juan B. Valdés; 8(5), 247-58 (2003).

Pump intakes
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).

Pumps
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. —Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Radar
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. —Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).
Radar-Based Flood Warning System Applied to Tropical Storm Allison. —Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Rainfall
Probabilistic Solution to Stochastic Overland Flow Equation. —Jaeyoung Yoon and M. Levent Kavvas; 8(2), 54-63 (2003).
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. —Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).

Improved Decomposition Solution to Green and Ampt Equation. — Sergio E. Serrano; 8(3), 158-60 (2003).
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. — Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Rainfall duration
Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. — Stephen M. Thompson; 8(4), 190-6 (2003).
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Rainfall intensity
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Rainfall-runoff relationships
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. —Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).

Rating
Radial Basis Function Neural Network for Modeling Rating Curves. —K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).

Regression models
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. —Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).

Remedial action
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Resistance coefficients
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Reynolds number
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Risk
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Rivers
Estimation of Sustainable Yield of Some Rivers in Trinidad. —Gyan S. Shrivastava; 8(1), 35-40 (2003).

Runoff
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Runoff coefficient
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. — Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).

Salt water intrusion
Numerical Modeling of Saline Intrusion in Salar de Atacama. — Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Sampling
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. — Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Sensitivity analysis
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. —Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Singapore
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Slopes
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Solid wastes
Chloride Ion in Groundwater near Disposal of Solid Wastes in Landfills. —Kazumasa Mizumura; 8(4), 204-13 (2003).

Statistics
Joint Seasonal /Annual Flood Frequency Analysis. —S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Storm runoff
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. —M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Streamflow
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. —Jozsef Szilagyi; 8(6), 339-47 (2003).
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Streams
Unsteady Stream Depletion when Pumping from Semiconfined Aquifer. —Bruce Hunt; 8(1), 12-9 (2003).
Estimation of Aquifer Diffusivity from Stream Stage Variation. —Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).
Field-Data Analysis for Stream Depletion. — Bruce Hunt; 8(4), 222-5 (2003).
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. — Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Surface waters
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. — Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).

Tennessee
Joint Seasonal /Annual Flood Frequency Analysis. — S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Texas
Radar-Based Flood Warning System Applied to Tropical Storm Allison. — Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Turbulence
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. —Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Turbulent boundary layers
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. —Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Turbulent flow
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. —Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Urban areas
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Variance analysis
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. —Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Water circulation
Numerical Modeling of Saline Intrusion in Salar de Atacama. —Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Water discharge
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).
Radial Basis Function Neural Network for Modeling Rating Curves. —K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).

Water infiltration
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. —Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Water level fluctuations
Aquifer Response to Linearly Varying Stream Stage. — Rajesh Srivastava; 8(6), 361-4 (2003).
Water levels
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. — Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).
Water storage
Autorun Persistence of Hydrologic Design. — Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).
Water supply
Estimation of Sustainable Yield of Some Rivers in Trinidad. — Gyan S. Shrivastava; 8(1), 35-40 (2003).
Water table
Field-Data Analysis for Stream Depletion. — Bruce Hunt; 8(4), 222-5 (2003).
Watersheds
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).
Weight
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).
Simple, Practical Method for Determining Station Weights Using Thiessen Polygons and Isohyetal Maps. — Fritz R. Fiedler; 8(4), 219-21 (2003).
Wells
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. — Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).
Wind
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. — Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).
Wind velocity
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. — Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Author Index

Adrian, Donald Dean
Closure to "Finite Fourier Probability Distribution and Applications" by Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh. —Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh; 8(4), 232 (2003).

Ahn, Jae Hyun
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. —Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).

Altunkaynak, Abdüsselam
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Barber, Michael E.
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Barry, D. A.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Bedient, Philip B.
Radar-Based Flood Warning System Applied to Tropical Storm Allison. —Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Bekker, Kristján F.
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).

Benavides, Jude A.
Radar-Based Flood Warning System Applied to Tropical Storm Allison. —Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Berndtsson, R.
Discussion of "Approach to Confidence Interval Estimation for Curve Numbers" by Richard H. McCuen. —P. K. Bhunya, S. K. Mishra, and R. Berndtsson; 8(4), 232-3 (2003).

Berndtsson, Ronny
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. —P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).

Bhunya, P. K.
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. —P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).
Discussion of "Approach to Confidence Interval Estimation for Curve Numbers" by Richard H. McCuen. —P. K. Bhunya, S. K. Mishra, and R. Berndtsson; 8(4), 232-3 (2003).

Boll, J.
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Boll, Jan
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Brutsaert, Wilfried
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. — Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Buzzi, Andrea
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. — Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Charles, Emmanuel
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. —Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Chen, Huey-Long
Closure to "Testing Hydrologic Time Series for Stationarity" by Huey-Long Chen and A. Ramachandra Rao. —A. Ramachandra Rao and Huey-Long Chen; 8(5), 299-300 (2003).

Chen, S.
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Chen, Xi
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. —Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Chen, Xunhong
Effects of Aquifer Anisotropy on the Migration of Infiltrated Stream Water to a Pumping Well. —Xunhong Chen and Xi Chen; 8(5), 287-93 (2003).

Cienfuegos, Rodrigo
Numerical Modeling of Saline Intrusion in Salar de Atacama. —Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Coppola, Emery, Jr.
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. — Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Coulter, Richard L.
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. — Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Croley, Thomas E., II
Weighted-Climate Parametric Hydrologic Forecasting. — Thomas E. Croley, II; 8(4), 171-80 (2003).

Dawdy, David R.
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).

De Michele, C.
Closure to "Uncertainty Assessment of Regionalized Flood Frequency Estimates" by C. De Michele and R. Rosso. —C. De Michele and R. Rosso; 8(2), 107-10 (2003).

Deng, Z. Q.
Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).

Durán, Mario
Numerical Modeling of Saline Intrusion in Salar de Atacama. —Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Durrans, S. R.
Joint Seasonal /Annual Flood Frequency Analysis. —S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Eiffe, M. A.
Joint Seasonal /Annual Flood Frequency Analysis. —S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Eng, Ken
Vertical Velocity Variance in the Mixed Layer from Radar Wind Profilers. —Ken Eng, Richard L. Coulter, and Wilfried Brutsaert; 8(6), 301-7 (2003).

Fiedler, Fritz R.
Simple, Practical Method for Determining Station Weights Using Thiessen Polygons and Isohyetal Maps. —Fritz R. Fiedler; 8(4), 219-21 (2003).

Fill, Heinz Dieter
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Gaur, Murari Lal
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. — Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Gérard-Marchant, Pierre
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

González, Javier
Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. — Javier González and Juan B. Valdés; 8(5), 247-58 (2003).

Goranflo, H. M.
Joint Seasonal /Annual Flood Frequency Analysis. — S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Govindaraju, Rao S.
Discussion of "Drought Flow from Hillslope" by Kazumasa Mizumura. — Rao S. Govindaraju; 8(6), 370-1 (2003).

Guo, James C. Y.
Closure to "Rational Hydrograph Method for Small Urban Watersheds" by James C. Y. Guo. —James C. Y. Guo; 8(3), 165-6 (2003).

Hathhorn, Wade E.
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Helweg, Otto J.
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).

Hogarth, W. L.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Holder , Anthony
Radar-Based Flood Warning System Applied to Tropical Storm Allison. —Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Hunt, Bruce
Unsteady Stream Depletion when Pumping from Semiconfined Aquifer. —Bruce Hunt; 8(1), 12-9 (2003).
Field-Data Analysis for Stream Depletion. —Bruce Hunt; 8(4), 222-5 (2003).

Indurthy, S. K. V. Prasad
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. —Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).

Jacobs, Jennifer M.
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. —Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Jain, Ashu
Comparative Analysis of Event-based Rainfall-runoff Modeling Techniques—Deterministic, Statistical, and Artificial Neural Networks. — Ashu Jain and S. K. V. Prasad Indurthy; 8(2), 93-8 (2003).

Jain, S. K.
Radial Basis Function Neural Network for Modeling Rating Curves. — K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).

James, David
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. — Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).

Jeng, D.-S.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Jung, Kwang-Sik
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. — Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).

Kavvas, M. Levent
Awards: Best Paper. —M. Levent Kavvas; 8(2), 43 (2003).
Nonlinear Hydrologic Processes: Conservation Equations for Determining Their Means and Probability Distributions. —M. Levent Kavvas; 8(2), 44-53 (2003).
Probabilistic Solution to Stochastic Overland Flow Equation. —Jaeyoung Yoon and M. Levent Kavvas; 8(2), 54-63 (2003).

Kim, Tae-Woong
Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. —Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. —Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).

King, Steven G.
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. —Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Korom, Scott F.
Influence of Pump Intake Location on Well Efficiency. — Scott F. Korom, Kristján F. Bekker, and Otto J. Helweg; 8(4), 197-203 (2003).

Kotroni, Vassiliki
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Koussis, Antonis D.
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Kroll, Charles N.
Closure to "Probability Distribution of Low Streamflow Series in the United States" by Charles N. Kroll and Richard M. Vogel. — Charles N. Kroll and Richard M. Vogel; 8(5), 297-8 (2003).

Lagouvardos, Konstantinos
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. — Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Lang, Jürgen
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. — Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Lee, T. T.
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Leong, E. C.
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Li, J. Y.
Estimating Basin Evapotranspiration Using Distributed Hydrologic Model. —Z. X. Xu and J. Y. Li; 8(2), 74-80 (2003).

Li, L.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Malguzzi, Piero
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Malhotra, Gaurav
Discussion of "Testing Hydrologic Time Series for Stationarity" by Huey-Long Chen and A. Ramachandra Rao. —Vijay K. Minocha and Gaurav Malhotra; 8(5), 298-9 (2003).

Marrone, Alexis M.
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. —M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Mathur, B. S.
Modeling Event-Based Temporal Variability of Flow Resistance Coefficient. —Murari Lal Gaur and B. S. Mathur; 8(5), 266-77 (2003).

Mazi, Katerina
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

McCuen, Richard H.
Closure to "Approach to Confidence Interval Estimation for Curve Numbers" by Richard H. McCuen. — Richard H. McCuen; 8(4), 234-5 (2003).

McEnroe, Bruce M.
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Mehta, Vishal K.
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Minocha, Vijay K.
Discussion of "Classification of River Basins Using Artificial Neural Network" by B. S. Thandaveswara and N. Sajikumar. — Vijay K. Minocha; 8(2), 105 (2003).
Discussion of "Uncertainty Assessment of Regionalized Flood Frequency Estimates" by C. De Michele and R. Rosso. —Vijay K. Minocha and Prakash C. Upadhyaya; 8(2), 107 (2003).
Discussion of "Finite Fourier Probability Distribution and Applications" by Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh. —Vijay K. Minocha and Prakash C. Upadhyaya; 8(4), 231 (2003).
Discussion of "Probability Distribution of Low Streamflow Series in the United States" by Charles N. Kroll and Richard M. Vogel. —Vijay K. Minocha; 8(5), 297 (2003).
Discussion of "Testing Hydrologic Time Series for Stationarity" by Huey-Long Chen and A. Ramachandra Rao. —Vijay K. Minocha and Gaurav Malhotra; 8(5), 298-9 (2003).

Mishra, S. K.
Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph. —P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 8(4), 226-30 (2003).
Discussion of "Approach to Confidence Interval Estimation for Curve Numbers" by Richard H. McCuen. —P. K. Bhunya, S. K. Mishra, and R. Berndtsson; 8(4), 232-3 (2003).

Mizumura, Kazumasa
Chloride Ion in Groundwater near Disposal of Solid Wastes in Landfills. —Kazumasa Mizumura; 8(4), 204-13 (2003).
Closure to "Drought Flow from Hillslope" by Kazumasa Mizumura. —Kazumasa Mizumura; 8(6), 371-2 (2003).

Muñoz, José F.
Numerical Modeling of Saline Intrusion in Salar de Atacama. —Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Ogden, Fred L.
Peak Discharge Scaling in Small Hortonian Watershed. — Fred L. Ogden and David R. Dawdy; 8(2), 64-73 (2003).

Özger, Mehmet
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Parlange, J.-Y.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Piechota, Thomas
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. — Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).

Portner, Niki Beyer
Discussion of "Modeling Two-Dimensional Erosion Process over Infiltrating Surfaces" by Gokmen Tayfur. — Niki Beyer Portner and Anton J. Schleiss; 8(1), 41-2 (2003).

Poulton, Mary
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. — Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Rahardjo, H.
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Rao, A. Ramachandra
Closure to "Testing Hydrologic Time Series for Stationarity" by Huey-Long Chen and A. Ramachandra Rao. —A. Ramachandra Rao and Huey-Long Chen; 8(5), 299-300 (2003).

Rezaur, R. B.
Hydrologic Behavior of Residual Soil Slopes in Singapore. — R. B. Rezaur, H. Rahardjo, E. C. Leong, and T. T. Lee; 8(3), 133-44 (2003).

Rosso, R.
Closure to "Uncertainty Assessment of Regionalized Flood Frequency Estimates" by C. De Michele and R. Rosso. —C. De Michele and R. Rosso; 8(2), 107-10 (2003).

Sajikumar, N.
Closure to "Classification of River Basins Using Artificial Neural Network" by B. S. Thandaveswara and N. Sajikumar. —N. Sajikumar and B. S. Thandaveswara; 8(2), 106 (2003).

Sander, G. C.
Discussion of "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, G. C. Sander, L. Li, D.-S. Jeng, and W. L. Hogarth; 8(3), 166-8 (2003).

Schleiss, Anton J.
Discussion of "Modeling Two-Dimensional Erosion Process over Infiltrating Surfaces" by Gokmen Tayfur. —Niki Beyer Portner and Anton J. Schleiss; 8(1), 41-2 (2003).

Şen, Zekai
Autorun Persistence of Hydrologic Design. —Zekai Şen, Abdüsselam Altunkaynak, and Mehmet Özger; 8(6), 329-38 (2003).

Serrano, Sergio E.
Modeling Groundwater Flow under Transient Nonlinear Free Surface. —Sergio E. Serrano; 8(3), 123-32 (2003).
Improved Decomposition Solution to Green and Ampt Equation. —Sergio E. Serrano; 8(3), 158-60 (2003).
Closure to "Explicit Solution to Green and Ampt Infiltration Equation" by Sergio E. Serrano. — Sergio E. Serrano; 8(3), 168-70 (2003).

Shrivastava, Gyan S.
Estimation of Sustainable Yield of Some Rivers in Trinidad. — Gyan S. Shrivastava; 8(1), 35-40 (2003).

Singh, Sushil K.
Estimation of Aquifer Diffusivity from Stream Stage Variation. — Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).
Discussion of "Rational Hydrograph Method for Small Urban Watersheds" by James C. Y. Guo. — Sushil K. Singh; 8(3), 165 (2003).

Singh, V. P.
Entropy-Based Parameter Estimation for Kappa Distribution. — V. P. Singh and Z. Q. Deng; 8(2), 81-92 (2003).
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Singh, Vijay P.
Closure to "Finite Fourier Probability Distribution and Applications" by Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh. —Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh; 8(4), 232 (2003).

Singh, Vivek
Hydrologic Impacts of Disturbed Lands Treated with Dust Suppressants. —Vivek Singh, Thomas Piechota, and David James; 8(5), 278-86 (2003).

Sitzmann, Dieter
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. —Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).

Srivastava, Rajesh
Aquifer Response to Linearly Varying Stream Stage. — Rajesh Srivastava; 8(6), 361-4 (2003).

Steenhuis, Tammo S.
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. —M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Steiner, Alexandre Arns
Estimating Instantaneous Peak Flow from Mean Daily Flow Data. —Heinz Dieter Fill and Alexandre Arns Steiner; 8(6), 365-9 (2003).

Sudheer, K. P.
Radial Basis Function Neural Network for Modeling Rating Curves. —K. P. Sudheer and S. K. Jain; 8(3), 161-4 (2003).

Swamee, Prabhata K.
Estimation of Aquifer Diffusivity from Stream Stage Variation. —Prabhata K. Swamee and Sushil K. Singh; 8(1), 20-4 (2003).

Szidarovszky, Ferenc
Artificial Neural Network Approach for Predicting Transient Water Levels in a Multilayered Groundwater System under Variable State, Pumping, and Climate Conditions. —Emery Coppola, Jr., Ferenc Szidarovszky, Mary Poulton, and Emmanuel Charles; 8(6), 348-60 (2003).

Szilagyi, Jozsef
State-Space Discretization of the Kalinin-Milyukov-Nash-Cascade in a Sample-Data System Framework for Streamflow Forecasting. — Jozsef Szilagyi; 8(6), 339-47 (2003).

Tejeda, Ignacio
Numerical Modeling of Saline Intrusion in Salar de Atacama. — Ignacio Tejeda, Rodrigo Cienfuegos, José F. Muñoz, and Mario Durán; 8(1), 25-34 (2003).

Thandaveswara, B. S.
Closure to "Classification of River Basins Using Artificial Neural Network" by B. S. Thandaveswara and N. Sajikumar. — N. Sajikumar and B. S. Thandaveswara; 8(2), 106 (2003).

Thomas, W. O., Jr.
Joint Seasonal /Annual Flood Frequency Analysis. — S. R. Durrans, M. A. Eiffe, W. O. Thomas, Jr., and H. M. Goranflo; 8(4), 181-9 (2003).

Thompson, Stephen M.
Duration of Probable Maximum Precipitation on Lake Catchments: Alternative Analysis. — Stephen M. Thompson; 8(4), 190-6 (2003).

Tsai, Ching-Nien
Closure to "Finite Fourier Probability Distribution and Applications" by Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh. — Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh; 8(4), 232 (2003).

Upadhyaya, Prakash C.
Discussion of "Uncertainty Assessment of Regionalized Flood Frequency Estimates" by C. De Michele and R. Rosso. — Vijay K. Minocha and Prakash C. Upadhyaya; 8(2), 107 (2003).
Discussion of "Finite Fourier Probability Distribution and Applications" by Ching-Nien Tsai, Donald Dean Adrian, and Vijay P. Singh. — Vijay K. Minocha and Prakash C. Upadhyaya; 8(4), 231 (2003).

Valdés, Juan B.
Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. — Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).
Bivariate Drought Recurrence Analysis Using Tree Ring Reconstructions. — Javier González and Juan B. Valdés; 8(5), 247-58 (2003).
Nonlinear Model for Drought Forecasting Based on a Conjunction of Wavelet Transforms and Neural Networks. — Tae-Woong Kim and Juan B. Valdés; 8(6), 319-28 (2003).

Vieux, Baxter E.
Radar-Based Flood Warning System Applied to Tropical Storm Allison. — Philip B. Bedient, Anthony Holder , Jude A. Benavides, and Baxter E. Vieux; 8(6), 308-18 (2003).

Vogel, Richard M.
Closure to "Probability Distribution of Low Streamflow Series in the United States" by Charles N. Kroll and Richard M. Vogel. — Charles N. Kroll and Richard M. Vogel; 8(5), 297-8 (2003).

Walter, M. Todd
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Walter, Michael F.
Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds. — M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 8(4), 214-8 (2003).

Wang, G.-T.
Nonlinear Convection-Diffusion Equation with Mixing-Cell Method for Channel Flood Routing. — G.-T. Wang, S. Chen, J. Boll, and V. P. Singh; 8(5), 259-65 (2003).

Wang, Min-Hui
Atmospheric Momentum Roughness Applied to Stage-Discharge Relationships in Flood Plains. — Jennifer M. Jacobs and Min-Hui Wang; 8(2), 99-104 (2003).

Xu, Z. X.
Estimating Basin Evapotranspiration Using Distributed Hydrologic Model. — Z. X. Xu and J. Y. Li; 8(2), 74-80 (2003).

Yonge, David R.
Ecology Ditch: A Best Management Practice for Storm Water Runoff Mitigation. — Michael E. Barber, Steven G. King, David R. Yonge, and Wade E. Hathhorn; 8(3), 111-22 (2003).

Yoo, Chulsang
Estimating Characteristics of Rainfall and Their Effects on Sampling Schemes: Case Study for Han River Basin, Korea. — Chulsang Yoo, Kwang-Sik Jung, and Jae Hyun Ahn; 8(3), 145-57 (2003).
Nonparametric Approach for Estimating Return Periods of Droughts in Arid Regions. — Tae-Woong Kim, Juan B. Valdés, and Chulsang Yoo; 8(5), 237-46 (2003).

Yoon, Jaeyoung
Probabilistic Solution to Stochastic Overland Flow Equation. — Jaeyoung Yoon and M. Levent Kavvas; 8(2), 54-63 (2003).

Young, C. Bryan
Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals. — C. Bryan Young and Bruce M. McEnroe; 8(5), 294-6 (2003).

Zaiss, Hermann
Flood Forecasts for Urban Basin with Integrated Hydro-Meteorological Model. — Antonis D. Koussis, Konstantinos Lagouvardos, Katerina Mazi, Vassiliki Kotroni, Dieter Sitzmann, Jürgen Lang, Hermann Zaiss, Andrea Buzzi, and Piero Malguzzi; 8(1), 1-11 (2003).